



HOME FOOD PRESERVATION Activity - Adjusting for Elevation

How to make adjustments in canning for elevation.

With the participants as a group, adjust a canning recipe for elevation explaining the processes by following questions on the worksheet. Use the background information sheets as needed.

6000 feet = 201°F

 $5000 \text{ feet} = 202^{\circ} \text{F}$

Have participants work in teams or individually adjusting for elevation with the workshop recipe.

As elevation increases, the boiling point of water decreases.

4000 feet = 204°F

3000 feet = 206°F

2000 feet = 208°F

1000 feet = 210°F

Sea Level = 212°F

Water Boils at Different Temperatures based on Elevation

Nebraska is best described at flat. But in reality, the elevation gradually rises going west across the state. This rise in elevation affects everyday cooking, baking and home food preservation.

As the elevation increases, the boiling point of water decreases.

When canning foods at home, adjustments must be made to assure safe processing of home canned foods.

For foods processed in a **boiling water canner**, **extra time** needs to be added.

For foods processed in a **pressure canner**, **extra pressure** must be added.

Processing times are based on 1,000 foot elevations. Follow research tested recipes to determine the processing adjustments is important to have a safe product.

Sources: National Center for Home Food Preservation https://nchfp.uga.edu/how/general/selecting correct process time.html


Photos & Graphics: Nebraska map prepared by Les Howard, cartographer, UNL School of Natural Resources, Nebraska Extension Food Preservation Team

Nebraska Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.



Activity - Adjusting for Elevation

How to make adjustments in canning for elevation.



Nebraska map prepared by Les Howard, cartographer, UNL School of Natural Resources

As elevation increases, temperature decreases.

This is true for boiling water and for water under pressure.

This affects both Boiling Water Canning and Pressure Canning!

What is the elevation?

The lowest point in Nebraska?

The highest point in Nebraska?

Where you live?

Nebraska Elevations

Panorama Point (Kimball County) = 5,424 feet Missouri River (Richardson County)= 840 feet Nebraska State Capitol (ground level) = 1192 feet

Norfolk = 1522 feet

Omaha = 1089 feet

Beatrice = 1286 feet

Grand Island = 1860 feet

North Platte = 2802 feet

Sidney = 4088 feet

Scottsbluff = 3891 feet





Water Boils at Different Temperatures Based on Elevation **Nebraska Towns**

	Kimball County (highest point) = 5,424 feet
$6000 \text{ feet} = 201^{\circ} \text{F}$	5000 feet = 202°F

Sidney = 4088 feet $4000 \, \text{feet} = 204^{\circ} \text{F}$

Scottsbluff = 3891 feet $3000 \, \text{feet} = 206^{\circ} \text{F}$ North Platte = 2802 feet $2000 \, \text{feet} = 208^{\circ} \text{F}$

Beatrice = 1286 feet Norfolk = 1522 feet

 $1000 \text{ feet} = 210^{\circ} \text{F}$

Sea Level = 212°F

Omaha = 1089 feet

Nebraska State Capitol (ground level) = 1192 ft

Missouri River (Richardson County) = 840 feet





Activity - Adjusting for Elevation Pressure Canning

How to make adjustments in pressure canning for elevation.

As elevation increases, temperature decreases.

This is true for boiling water and for water under pressure.

HOW TO:

Start by finding the elevation of your location by using a mobile phone or looking it up on the internet. Once you know the elevation, look at your pressure canner and determine the type of gauge it uses. Adjust the canning recipe according to an up to date, research tested recipe.

As elevation increases, increase pressure to increase temperature.



Dial Gauge

Research tested recipes will list a range of elevations with the proper pressure and time.

All dial gauges should be tested yearly.

Research tested recipes will have instructions for both dial gauge canners and weighted gauge canners.

Pressure canning
is used for meat,
poultry, seafood,
vegetables,
beans, and mixed
foods that
contain one of
the above.

Weighted Gauge

A weighted gauge is a weight that sits on the vent port. It can be like the photo with 3 weights in one or they can be individual weights.

Elevation adjustment requires increase of 5 psi pressure.







Activity - Adjusting for Elevation Boiling Water Canning

How to make adjustments in boiling water canning for elevation.

As elevation increases, temperature decreases.

This is true for boiling water and for water under pressure.

As elevation increases, increase time in a Boiling Water Canner.

Boiling Water Canner

Research tested recipes will have instructions for adding processing time in boiling water canners.



HOW TO

Start by finding the elevation of your location by using a mobile phone or looking it up on the internet. Once you know the elevation, adjust the canning recipe according to an up to date, research tested recipe.

Boiling water canning is used for fruit, jams & jellies, fermented and pickled foods. It can used for tomatoes that have acid added to each jar.





Activity - Adjusting for Elevation

Need some examples of how to adjust from elevation? Below is from the USDA Guide to Home Canning.

Using tables for determining proper process times

The following examples show how to select the proper process for each type of canner.

Example A: Boiling Water Canner

Suppose you are canning peaches as a hot-pack in quarts at 2,500 ft above sea level, using a *boiling-water canner*. First, select the process table for boiling-water canner. The example for peaches is given in <u>Table for Example A</u> below.

From that table, select the process time given for (1) the style of pack (hot), (2) the jar size (quarts), and (3) the altitude where you live (2,500 ft). You should have selected a process time of 30 minutes.

Table for Example A Recommended process time for Peaches in a boiling-water canner.							
Process Time at Altitudes of							
Style of Pack	Jar Size	0 - 1,000 ft	1,001 - 3,000 ft	3,001 - 6,000 ft	Above 6,000 ft		
Hot	Pints	20 min	25	30	35		
пос	Quarts	25	30	35	40		
Davis	Pints	25	30	35	40		
Raw	Quarts	30	35	40	45		

Example B: Dial Gauge Pressure Canner

Suppose you are canning peaches as a hot-pack in quarts at 2,500 ft above sea level, using a *dial-gauge pressure canner*. First, select the process table for dial-gauge pressure canner. The example for peaches is given in **Table for**

Example B below. From that table, select the process pressure (PSI) given for (1) the style of pack (hot), (2) the jar size (quarts), (3) the process time (10 minutes), (4) the altitude where you live (2,500 ft). You should have selected a pressure of 7 lbs for the 10 minutes process time.

Table for Example B Recommended process time for Peaches in a Dial-Gauge Pressure Canner.							
Canner Pressure (PSI)					e (PSI) at Altitud	es of	
Style of Pack	Jar Size	Process Time	e 0 - 2,000 ft 2,001 - 4,000 ft 4,001 - 6,000 ft 6,001 - 8,000 ft				
Hot and Raw	Pints or Quarts	10 min	6 lb	7	8	9	

Example C: Weighted Gauge Pressure Canner

Suppose you are canning peaches as a hot-pack in quarts at 2,500 ft above sea level, using a *weighted-gauge pressure* canner. First, select the process time for weighted-gauge pressure canner. The example for peaches is given in <u>Table</u>

for Example C below. From that table, select the process pressure (PSI) given for (1) the style of pack (hot), (2) the jar size (quarts), (3) the process time (10 minutes), and (4) the altitude where you live (2,500 ft). You should have selected a pressure of 10 lbs for the 10 minutes process time.


Table for Example C Recommended process time for Peaches in a Weighted-Gauge Pressure Canner.							
			Canner F	Pressure (PSI) at Altitudes of			
Style of Pack	Jar Size	Process Time	0 - 1,000 ft	Above 1,000 ft			
Hot and Raw	Pints or Quarts	10 min	5 lb	10			

Source: https://nchfp.uga.edu/how/general/selecting correct process time.html





Adjusting for Elevation - Boiling Water Canning





Grape Jelly

Table 1. Recommended process time for **Grape Jelly** in a Boiling Water Canner.

		Process Time at Altitudes of				
Style of Pack	Jar Size	0 - 1,000 ft	1,001 - 6,000 ft	Above 6,000 ft		
Hot	Half-pints or Pints	5 min	10	15		

My Town	
Elevation of My Town	
Use a boiling water canner to preserve grape jelly in pint jars. How minutes would you need to process the grape jelly?	
Use a boiling water canner to preserve grape jelly in half pint jars.	





Adjusting for Elevation - Boiling Water Canning

ANSWER PAGE



Grape Jelly

Table 1. Recommended process time for Grape Jelly in a Boiling Water Canner.					
Process Time at Altitudes of					
Style of Pack	Jar Size	0 - 1,000 ft 1,001 - 6,000 ft Above 6,00 ft			
Hot	Half-pints or Pints	5 min	10	15	

My Town	Omaha	
Elevation of My Town	1089 feet	
-	er to preserve grape jelly in pint jars. need to process the grape jelly?	10 minutes
· ·	er to preserve grape jelly in half pint jars. need to process the grape jelly?	10 minutes





Adjusting for Elevation Boiling Water Canning and Pressure Canning

Pick a town, find it's elevation. Are you using a boiling water canner, dial gauge or weighted gauge pressure canner? Review the recipe to interpret how to make adjustments for elevation when canning.

Crushed Tomatoes (with no added liquid)

<u>Table 1.</u> Recommended process time for Crushed Tomatoes in a <u>Boiling Water Canner.</u>							
Process Time at Elevation							
Style of Pack	Jar Size	0 - 1,000 ft	1,001 - 3,000 ft	3,001 - 6,000 ft	Above 6,000 ft		
ll-t	Pints	35 min	40	45	50		
Hot	Quarts	45	50	55	60		

<u>Table 2.</u> Recommended process time for Crushed Tomatoes in a <u>Dial Gauge Pressure Canner.</u>							
	Canner Gauge Pressure (PSI) at Elevation						
Style of Pack	Jar Size	Process Time	0 - 2,000 ft	2,001 - 4,000 ft	4,001 - 6,000 ft	6,001 - 8,000 ft	
Hot	Pints or	20 min	6 lb	7 lb	8 lb	9 lb	
Hot	Quarts	15	11	12	13	14	

Table 3. Recommended process time for Crushed Tomatoes in a Weighted Gauge Pressure Canner. **Canner Gauge Pressure (PSI) at Elevation** Above 1,000 ft **Style of Pack** Jar Size **Process Time** 0 - 1,000 ft 20 min 5 lb 10 lb Pints or 15 10 15 Hot Quarts 10 15 Not Recommended

My Town
Elevation of My Town
Use a boiling water canner to preserve crushed tomatoes in pint jars. How minutes would you need to process the tomatoes?
Use a weighted gauge pressure canner to preserve crushed tomatoes in quart jars. How many processing minutes and pounds of pressure will you need?





Adjusting for Elevation Boiling Water Canning and Pressure Canning

ANSWER PAGE

Crushed Tomatoes (with no added liquid)

<u>Table 1.</u> Recommended process time for Crushed Tomatoes in a <u>Boiling Water Canner.</u>							
Process Time at Elevation							
Style of Pack	Jar Size	0 - 1,000 ft	1,001 - 3,000 ft	3,001 - 6,000 ft	Above 6,000 ft		
11-4	Pints	35 min	40	45	50		
Hot	Quarts	45	50	55	60		

<u>Table 2.</u> Recommended process time for Crushed Tomatoes in a <u>Dial Gauge Pressure Canner.</u>						
			Canner Gauge Pressure (PSI) at Elevation			
Style of Pack	Jar Size	Process Time	0 - 2,000 ft	2,001 - 4,000 ft	4,001 - 6,000 ft	6,001 - 8,000 ft
Hot	Pints or Quarts	20 min	6 lb	7 lb	8 lb	9 lb
		15	11	12	13	14

<u>Table 3.</u> Recommended process time for Crushed Tomatoes in a <u>Weighted Gauge Pressure Canner.</u>					
			Canner Gauge Press	sure (PSI) at Elevation	
Style of Pack	Jar Size	Process Time	0 - 1,000 ft	Above 1.000 ft	
Hot		20 min	5 lb	10 lb	
	Pints or Quarts	15	10	15	
	Quarts	10	15	Not Recommended	

My Town	Norfolk			
Elevation of My Town _	1522 feet			
J	er to preserve crushed tomatoes in pin need to process the tomatoes?	t jars. 40 minutes		
	essure canner to preserve crushed tom nutes and pounds of pressure will you	• •		

20 minutes @ 10 pounds of pressure OR 15 minutes at 15 pounds of pressure





Adjusting for Elevation Pressure Canning

Pick a town, find it's elevation. Are you using a dial gauge or weighted gauge pressure canner? Review the recipe to interpret how to make adjustments for elevation when pressure canning.



CARROTS, sliced or diced

Table 1: Recommended process time for Carrots in a dial-gauge pressure canner.						
			Canner Pressure (PSI) at Altitudes of			
Style of Pack	Jar Size	Process Time	0 - 2,000 ft	2,001 -4,000 ft	4,001 -6,000 ft	6,001 -8,000 ft
Hot and Raw	Pints	25 min	11 lbs.	12 lbs.	13 lbs.	14 lbs.
	Quarts	30 min	11 lbs.	12 lbs.	13 lbs.	14 lbs.

Table 2: Recommended process time for Carrots in a weighted-gauge pressure canner.					
Style of Pack Jar Size Process Time 0 - 1,000 ft Above 1,000					
			Canner Pressure (P	SI) at Altitudes of	
Hot and Raw	Pints	25 min	10 lbs.	15 lbs.	
	Quarts	30 min	10 lbs.	15 lbs.	

My Town	
Elevation of My Town	
Use a dial gauge pressure canner to raw pack carrots in pint jars. How many minutes and pounds of pressure would you need?	
Use a weighted gauge pressure canner to hot pack carrots in quart jars. How many minutes and pounds of pressure would need?	





Adjusting for Elevation Pressure Canning

ANSWER PAGE



CARROTS, sliced or diced

Table 1: Recommended process time for Carrots in a dial gauge pressure canner.						
			Canner Pressure (PSI) at Altitudes of			
Style of Pack	Jar Size	Process Time 0 - 2,000 ft 2,001 -4,000 ft 4,001 -		4,001 -6,000 ft	6,001 -8,000 ft	
	Pints	25 min	11 lbs.	12 lbs.	13 lbs.	14 lbs.
Hot and Raw	Quarts	30 min	11 lbs.	12 lbs.	13 lbs.	14 lbs.


Table 2: Recommended process time for Carrots in a weighted gauge pressure canner.					
Style of Pack	Jar Size	Process Time	0 - 1,000 ft	Above 1,000 ft	
			Canner Pressure (P	SI) at Altitudes of	
Habarad Barra	Pints	25 min	10 lbs.	15 lbs.	
Hot and Raw	Quarts	(30 min	10 lbs.	(15 lbs.)	

My Town	North Platte	
Elevation of My Town	2802 feet	
Use a dial gauge press pack carrots in pint jar and pounds of pressur	s. How many minutes	25 minutes @ 12 pounds of pressure
Use a weighted gauge hot pack carrots in qua	art jars. How many min	utes 30 minutes @ 15 pounds of pressure





Adjusting for Elevation



Norfolk = 1522 feet Beatrice = 1286 feet Omaha = 1089 feet Nebraska State Capitol (ground level) = 1192 feet

Nebraska Elevations


Match the city & elevation to the correct location.



Grand Island = 1860 feet



Adjusting for Elevation



Nebraska Elevations

Match the city & elevation to the correct location.



Nebraska State Capitol (ground level) = 1192 feet

Grand Island = 1860 feet

Norfolk = 1522 feet Beatrice = 1286 feet Omaha = 1089 feet



Adjusting for Elevation

ANSWER PAGE

Nebraska Elevations

